



ISSUE 29 : FALL 2025
OPEN RIVERS :
RETHINKING WATER, PLACE & COMMUNITY

GREAT LAKES, PERIL & PROMISE

<https://openrivers.umn.edu>

An interdisciplinary journal of public scholarship rethinking water, place & community
from multiple perspectives within and beyond the academy.

ISSN 2471-190X

The cover image is courtesy of Owen Holroyd.

Except where otherwise noted, this work is licensed under a [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/). This means each author holds the copyright to her or his work and grants all users the rights to share (copy and/or redistribute the material in any medium or format) or adapt (remix, transform, and/or build upon the material) the article, as long as the original author and source are cited, and the use is for noncommercial purposes.

Open Rivers: Rethinking Water, Place & Community is produced by the [University of Minnesota Libraries Publishing Services](https://www.lib.umn.edu/) and the [University of Minnesota Institute for Advanced Study](https://www.umn.edu/iaa/).

Editorial Staff

Editor: Laurie Moberg, Institute for Advanced Study, University of Minnesota

Media and Production Manager: Joanne Richardson, Institute for Advanced Study, University of Minnesota

Communications Manager: Abby Travis, Institute for Advanced Study, University of Minnesota

Administrative Editor: Phyllis Mauch Messenger

Editorial Assistant:
Mikala Stokes, Department of History, Northwestern University

Contact Us

Open Rivers | Institute for Advanced Study,
University of Minnesota
Northrop
84 Church Street SE
Minneapolis, MN 55455

Telephone: (612) 626-5054

Fax: (612) 625-8583

E-mail: openrvrs@umn.edu

Web Site: <https://openrivers.umn.edu>

ISSN 2471-190X

Editorial Board

Christine Baeumler: Art, University of Minnesota

M. Bianet Castellanos: Institute for Advanced Study and American Studies, University of Minnesota

Vicente M. Diaz: American Indian Studies, University of California Los Angeles

Tia-Simone Gardner: Department of Media and Cultural Studies, Macalester College

Mark Gorman: Policy Analyst, Retired, Pittsburgh, Pennsylvania

Simi Kang: Department of Asian American Studies, University of Illinois Urbana-Champaign

Melissa Kenney: Institute on the Environment, University of Minnesota

Emma Molls: University of Minnesota Libraries Publishing Services, University of Minnesota

David Naguib Pellow: Environmental Studies, University of California, Santa Barbara

Susannah L. Smith: Institute for Advanced Study, University of Minnesota

Wendy F. Todd: Department of Natural Sciences, University of Alaska Southeast Juneau

Andrew Wickert: Department of Earth and Environmental Sciences, University of Minnesota

Kelly Wisecup: Department of English, Northwestern University

CONTENTS

Introductions

Introduction to Issue 29 | Great Lakes, Peril & Promise
By Laurie Moberg, Editor, and Joanne Richardson 4

Features

Our Changing Relationship to Lake Superior, 1975-2025
By David Beard, Catherine O'Reilly, Joseph M. Lane, Jennifer E. Moore, Timothy Broman, Chance Lasher,
Robert Dewitt Adams, Luke Moravec, Moira Villiard, Anastasia Bamford, Nan Montgomery, Sheila Packa,
Krista Sue-Lo Twu, and Jennifer Brady 7

Rights of Nature and the Lake Erie Bill of Rights
By Sheryl Cunningham 48

Geographies

Misi-zaaga'iganing (Mille Lacs Lake)
By Travis Zimmerman 63

Perspectives

Looking for a US 'climate haven' away from disaster risks?
By Julie Arbit, Brad Bottoms, and Earl Lewis 70

Primary Sources

Climate Change Threatens Drinking Water Quality Across The Great Lakes
By Gabriel Filippelli, and Joseph D. Ortiz 76

PRIMARY SOURCES

CLIMATE CHANGE THREATENS DRINKING WATER QUALITY ACROSS THE GREAT LAKES

By Gabriel Filippelli, and Joseph D. Ortiz

This story is part of the Pulitzer Center’s nationwide Connected Coastlines reporting initiative. For more information, go to <https://pulitzercenter.org/journalism/initiatives/connected-coastlines>.

“Do Not Drink/Do Not Boil” is not what anyone wants to hear about their city’s tap water. But the combined effects of climate change and degraded water quality could make such warnings more frequent across the Great Lakes region.



Harmful algae bloom. Pelee Island, Ohio. Lake Erie. Image by T. Archer, NOAA Great Lakes Environmental Research Laboratory/Flickr.

A preview occurred on July 31, 2014, when a nasty green slime – properly known as a harmful algal bloom, or HAB – developed in the western basin of Lake Erie. Before long it had overwhelmed the Toledo Water Intake Crib, which provides drinking water to nearly 500,000 people in and around the city.

Tests revealed that the algae was producing microcystin, a sometimes deadly liver toxin and suspected carcinogen. Unlike some other toxins, microcystin can't be rendered harmless by boiling. So the city issued a "Do Not Drink/Do Not Boil" order that set off a three-day crisis.

Local stores soon ran out of bottled water. Ohio's governor declared a state of emergency, and the National Guard was called in to provide safe

drinking water until the system could be flushed and treatment facilities brought back on line.

The culprit was a combination of high nutrient pollution – nitrogen and phosphorus, which stimulate the growth of algae – from sewage, agriculture and suburban runoff, and high water temperatures linked to climate change. This event showed that even in regions with resources as vast as the Great Lakes, water supplies are vulnerable to these kinds of man-made threats.

As Midwesterners working in the fields of urban environmental health and climate and environmental science, we believe more crises like Toledo's could lie ahead if the region doesn't address looming threats to drinking water quality.



*True color photo images of Lake Erie's harmful algal blooms on August 14, 2017.
Image by Zachary Haslick, Aerial Associates Photography,
NOAA Great Lakes Environmental Research Laboratory/Flickr.*

Vast and Abused

The Great Lakes together hold 20% of the world’s surface freshwater – more than enough to provide drinking water to over 48 million people from Duluth to Chicago, Detroit, Cleveland and Toronto. But human impacts have severely harmed this precious and vital resource.

In 1970, after a century of urbanization and industrialization around the Great Lakes, water quality was severely degraded. Factories were allowed to dump waste into waterways rather than treating it. Inadequate sewer systems often sent raw sewage into rivers and lakes, fouling the water and causing algal blooms.

Problems like these helped spur two major steps in 1972: passage of the U.S. Clean Water Act,

and adoption of the Great Lakes Water Quality Agreement between the United States and Canada. Since then, many industries have been cleaned up or shut down. Sewer systems are being redesigned, albeit slowly and at great cost.

The resulting cuts in nutrient and wastewater pollution have brought a quick decline in HABs – especially in Lake Erie, the Great Lake with the most densely populated shoreline. But new problems have emerged, due partly to shortcomings in those laws and agreements, combined with the growing effects of climate change.

Drinking water from the Great Lakes is in high demand. See video “Tapping the Great Lakes.”

Warmer and Wetter

Climate change is profoundly altering many factors that affect life in the Great Lakes region. The most immediate impacts of recent climate change have been on precipitation, lake levels and water temperatures.

Annual precipitation in the region has increased by about 5 inches over the past century. Changes in the past five years alone – the hottest five years in recorded history – have been particularly dramatic, with a series of extreme rainfall events bringing extremely high and rapidly varying water levels to the Great Lakes.

Record high precipitation in 2019 caused flooding, property damage and beachfront losses in a number of coastal communities. Precipitation in 2020 is projected to be equally high, if not higher. Some of this is due to natural variability, but certainly some is due to climate change.

Another clear impact of climate change is a general warming of all five Great Lakes, particularly in the springtime. The temperature increase is modest and varies from year to year and place to place, but is consistent overall with records of warming throughout the region.

More Polluted Runoff

Some of these climate-related changes have converged with more direct human impacts to influence water quality in the Great Lakes.

Cleanup measures adopted back in the 1970s imposed stringent limits on large point sources of nutrient pollution, like wastewater and factories. But smaller “nonpoint” sources, such as fertilizer and other nutrients washing off farm fields and

suburban lawns, were addressed through weaker, voluntary controls. These have since become major pollution sources.

Since the mid-1990s, climate-driven increases in precipitation have carried growing quantities of nutrient runoff into Lake Erie. This rising load has triggered increasingly severe algal blooms, comparable in some ways to the events of the 1970s. Toledo’s 2014 crisis was not an anomaly.

These blooms can make lake water smell and taste bad, and sometimes make it dangerous to drink. They also have long-term impacts on the

lakes’ ecosystems. They deplete oxygen, killing fish and spurring chemical processes that prime the waters of Lake Erie for larger future blooms. Low-oxygen water is more corrosive and can damage water pipes, causing poor taste or foul odors, and helps release trace metals that may also cause health problems.

So despite a half-century of advances, in many ways Great Lakes water quality is back to where it was in 1970, but with the added influence of a rapidly changing climate.

Filtering Runoff

How can the region change course and build resilience into Great Lakes coastal communities?

Thanks to a number of recent studies, including an intensive modeling analysis of future climate




Figure showing total phosphorus (TP) tributary loading to Lake St. Clair and the western Lake Erie in 2018 in metric tons per annum (MTA). Runoff from agricultural areas is the major source of nutrient loadings with about 70 percent from commercial fertilizer application and 30 percent from animal manure. Diagram and map by Michigan Sea Grant, M. Maccoux, Contractor ECCC, S. Wortman, USEPA, D. Obenour, NCSU, M. Evans, USGS/IJC.

change in Indiana, which serves as a proxy for most of the region, we have a pretty good picture of what the future could look like.

As one might guess, warming will continue. Summertime water temperatures are projected to rise by about another 5 degrees Fahrenheit by midcentury, even if nations significantly reduce their greenhouse gas emissions. This will cause further declines in water quality and negatively impact coastal ecosystems.

The analysis also projects an increase in extreme precipitation and runoff, particularly in the winter and spring. These shifts will likely bring still more nutrient runoff, sediment contaminants and sewage overflows into coastal zones, even if surrounding states hold the actual quantities of these nutrients steady. More contaminants, coupled with higher temperatures, can trigger algal blooms that threaten water supplies.

But recent success stories point to strategies for tackling these problems, at least at the local and regional levels.

A number of large infrastructure projects are currently underway to improve stormwater management and municipal sewer systems, so that they can capture and process sewage and associated nutrients before they are transported to the Great Lakes. These initiatives will help control flooding and increase the supply of “gray water,” or used water from bathroom sinks, washing machines, tubs and showers, for uses such as landscaping.

Recommended Citation

Filippelli, Gabriel, and Joseph D. Ortiz. 2025. “Climate Change Threatens Drinking Water Quality Across The Great Lakes.” *Open Rivers: Rethinking Water, Place & Community*, no. 29. <https://doi.org/10.24926/2471190X.12829>.

DOI: <https://doi.org/10.24926/2471190X.12829>

Cities are coupling this “gray infrastructure” with green infrastructure projects, such as green roofs, infiltration gardens and reclaimed wetlands. These systems can filter water to help remove excess nutrients. They also will slow runoff during extreme precipitation events, thus recharging natural reservoirs.

Municipal water managers are also using smart technologies and improved remote sensing methods to create near-real-time warning systems for HABs that might help avert crises. Groups like the Cleveland Water Alliance, an association of industry, government and academic partners, are working to implement smart lake technologies in Lake Erie and other freshwater environments around the globe. Finally, states including Ohio and Indiana are moving to cut total nutrient inputs into the Great Lakes from all sources, and using advanced modeling to pinpoint those sources.

Together these developments could help reduce the size of HABs, and perhaps even reach the roughly 50% reduction in nutrient runoff that government studies suggest is needed to bring them back to their minimum extent in the mid-1990s.

Short of curbing global greenhouse gas emissions, keeping communities that rely so heavily on the Great Lakes livable will require all of these actions and more.

This article is republished from The Conversation under a Creative Commons license. Read the original article.

About the Authors

Gabriel Filippelli is a Professor of Earth Sciences and is the director of the Center for Urban Health, Indiana University Indianapolis, Indiana.

Joseph D. Ortiz is a Professor and is the Assistant Chair of Geology, Kent State University, Ohio.